

.340 Weatherby Magnum (T/C Encore VVCG 27.5" bbl.)

LOAD FOR BARNES X - SERIES- XLC 225 Grain Bullet

Bullet	Powder	MIN. Charge Weight	VELOCITY F.P.S.	MAX Charge Weight	VELOCITY F.P.S.	Primer Brand Type
225 Gr. Barnes X-XLC SD .281 BC .482	H4831SC	82.0	2995	87.0	3112	CCI250M
	H1000	88.5	2920	93.0C	3110	CCI250M
	H1000	88.5	2920	92.5C	3100	CCI250M
	WIN760	75.0	2815	80.0	3011	CCI250M
	RL22	83.0	2917	88.0	3130	CCI250M
200 Gr. Nosler BT SD .250 BC .414	H1000	90.0	3100	95.0C	3220	CCI250M
	WIN760	78.0	3099	83.0	3289	CCI250M
		C= Compressed Load				
		RED DENOTES MAX. LOAD *** USE CAUTION ***				
185 Gr. Barnes XBT SD .231 BC .437	WIN760	79.0	3100	84.0	3410	CCI250M

Notes:

H1000 and H4831SC are excellent powders with the 225 Grain Barnes Bullets.
Winchester 760 yielded the best groups of .78" at 100 yards.

Always use either Federal 215 Mag. Primers or CCI 250 Large Rifle Mag. Primers. Never use Standard Grade Primers in loading for this caliber.

185 Grain Barnes XBT performed best with Win760 Ball Powder more than any other tested powder.

Case Trim = 2.815"

Best Groups

COL = 3.6745" Barnes Bullets

COL = 3.7730" Nosler 200 Grain Ballistic Tips

Excellent Accuracy

Average 10 Shot Velocity with 225 Grain Bullet = 3,109 FPS