

.30-378 Weatherby Magnum

BARNES -X Bullet Loads for 110 Grain & 130 Grain Bullets

Bullet	Powder	MIN. Charge Weight	VELOCITY F.P.S.	MAX Charge Weight	VELOCITY F.P.S.	Primer Brand Type
110 grain Barnes XFB SD .166 BC .322	H4831	112.0	3902	117.1	4071	CCI250M
	H1000	120.0	3850	125.0	4010	FED215M
	RL22	110.0	3894	115.0	4081	FED215M
RED DENOTES MAX. LOAD *** USE CAUTION ***						
130 grain Barnes XBT SD .196 BC .374	H4831SC	106.0	3575	111.1	3745	FED215M
	H1000	113.0	3577	118.0	3740	FED215M
	H870	127.0	3655	132.0	3777	CCI250M
	RL22	106.0	3588	111.0	3754	FED215M

Notes:

H870 and H4831 are very accurate powders for this caliber. H870 is the best choice for hunting and target loads.

Always use either Federal 215 Mag. Primers or CCI 250 Large Rifle Mag. Primers. Never use Standard Grade Primers in loading for this caliber.

RL22 performed best for velocity on average, but H1000 and H4831 produced sub 1" groups.