

## .30-378 Weatherby Magnum

### LOAD FOR BARNES X - SERIES 180 Grain & 200 Grain

<u>Bullet</u>	<u>Powder</u>	<u>MIN. Charge Weight</u>	<u>VELOCITY F.P.S.</u>	<u>MAX Charge Weight</u>	<u>VELOCITY F.P.S.</u>	<u>Primer Brand Type</u>
180 grain XFB Barnes SD .271 BC .511	H4831	95.0	3225	100.0	3390	CCI250M
	H1000	102.5	3053	107.5	3202	CCI250M
	H870	116.0	3139	121.0	3274	CCI250M
	H5010	115.1	3100	120	3230	CCI250M
	H50BMG	117.0	3102	122.0	3240	CCI250M
- OR -	IMR7828	97.0	3056	102.0	3230	CCI250M
	WINWMR	96.0	3023	101.0	3180	CCI250M
180 grain XBT Barnes SD .271 BC .552	AA3100	96.0	3032	101.0	3190	CCI250M
	AA8700	116.0	3130	121.0	3265	CCI250M
	VIT N 170	103.0	3056	108.0	3204	CCI250M
	Vit 24 N 41	112.0	3095	117.0	3233	CCI250M
	Vit 20 N 29	119.0	3095	124.0	3225	CCI250M
	RL19	96.0	3110	101.0	3272	CCI250M
	RL22	97.0	3098	102.0	3259	CCI250M
	RL25	102.0	3193	107.0	3350	FED215
	<b>RED DENOTES MAX. LOAD *** USE CAUTION ***</b>					
200 grain XFB Barnes SD .301 BC .550	H1000	99.0	2867	104.0	3012	CCI250M
	H870	113.0	3004	118.0	3137	CCI250M
	H5010	112.0	2958	117.0	3090	CCI250M
	H50BMG	113.0	2956	118.0	3087	CCI250M
	AA8700	111.0	2955	116.0	3088	CCI250M
	VIT N 170	95.0	2885	100.0	3037	CCI250M
	Vit 24 N 41	108.0	2945	113.0	3081	CCI250M
	Vit 20 N 29	111.0	2951	121.0	3078	CCI250M
	RL22	93.0	2934	98.0	3092	CCI250M
RL25	97.0	2996	102.0	3150	FED215	

Notes:

